

Identification of the product

Product name: Root Filler
Use of the article: Rotating steel root canal instruments

Manufacturer/supplier identification:

Company: VDW GmbH
Bayerwaldstr.15, D-81737 München, Germany Tel: ++49 89 62734-0
e-mail: info@vdw-dental.com
Contact for information: Quality Management
Telephone: ++49 89 62734-0 • Telefax: ++49 89 62734-304

Composition / information on ingredients

Rotating root canal instruments of a special steel alloy (stainless spring steel)

contains

Carbon	< 0,1 %
Silicon	< 2,0 %
Manganese	1,0 – 2,0 %
Phosphorus	< 0,03 %
Sulfurus	< 0,015%
Chromium	16,0 – 18,0 %
Nickel	6,0 – 10,0 %
Molybdenium	< 0,7%
Iron	according

The used special steel alloy refers to following standards:

ISO 6931- 1 Stainless Steel
DIN 1.4310 HS, DIN 17224, ASTM 302 Mod., JIS G 4314

Physical and chemical properties

Density:	7,9 g/cm ³
Thermal conductivity (20°C):	15,0 W/m°C
Resistivity (20°C)	0,80 μΩm
thermal expansion per °C x10 ⁻⁶ 20° up to 100°C:	17,0
permeability, μmax:	about 10
Tensile strength Mpa	2000 - 2500

Other information

The information contained herein is based on the present state of our knowledge. It characterizes the technical information of the product.